


## WFS-627 Datasheet

# Wi-Safe Flashing Strobe Alert System

## Product Image



## Product Dimensions (mm)



<b>Model Number</b>	WFS-627
<b>Retail Description</b>	N/A
<b>Retail EAN Number</b>	N/A
<b>Retail Packaging Format</b>	N/A
<b>Retail Packaging Dimensions WxHxD</b>	N/A
<b>Retail Packaging Weight</b>	N/A
<b>Retail Outer Box Quantity</b>	N/A
<b>Trade Description</b>	Wi-Safe Flashing Strobe Alert System
<b>Trade EAN Number</b>	0816317000868
<b>Trade Packaging Format</b>	Recycled Cardboard Box
<b>Trade Packaging Dimensions WxHxD</b>	141mm x 70mm x 113mm
<b>Trade Packaging Weight</b>	333g (Including Wi-Safe Flashing Strobe Alert System, AC/DC mains adaptor, manual, batteries and fixings)
<b>Trade Outer Box Quantity</b>	12
<b>Warranty</b>	10 Years
<b>Technology</b>	Communication: Wi-Safe Wireless
<b>Operation AC/DC</b>	AC mains with DC rechargeable battery
<b>Battery Type</b>	Rechargeable Ni-Mh battery only
<b>Product Weight</b>	265g (including battery)
<b>Alert Type</b>	Xenon bulb flashing strobe Individual LED patterns for smoke and carbon monoxide alert

<b>Operating Temperature</b>	-5°C to 40°C
<b>Operating Humidity</b>	Up to 90% RH non-condensing
<b>Installation Positions</b>	Where the strobe is most likely to be seen e.g. opposite seating position
<b>Approvals</b>	Independently tested to conform to the following european standards: EN 301 489-01 v1.6.1 (2005-09) EN 301 489-3 v1.4.1 (2002-08) EN 300 220-3 v1.1.1 (2000) BS EN 60065 (2002) BS EN 60950 (2006) BS EN 50130-4 (1995) BS EN 55022 (2006)
<b>Wi-Safe RF</b>	433.920 MHz 24-bit encryption
<b>WFS-627 receives signals from</b>	WSI-601, WSO-601, WSO-610, WLSO-610, WCO-628
<b>Wi-Safe Product Memory</b>	20 alarms

### Health & Safety Information

<b>Storage Temperature</b>	-20°C to +60°C
<b>Storage Humidity</b>	Up to 93% RH non-condensing

